

SPECIFICATIONS

1.General Specifications

Model	SZP-003□
Applicable Models	List in the website http://www.patlite.com/
Applicable Pole	
Mounting Location	
Protection Rating	IP65(With Product Attached)
Mass (Tolerance ±10%)	0.03kg(No Accessories)
Outer Dimensions	Refer to the 3.Outer Dimensions
Remarks	There are no contents of controlled substances exceeding the threshold for the RoHS

2.Model Number Configuration

	Model		Applicable Models	Body Color
Circular Bracket	SZP	-	003	↓
				Body Color
				W Off-white
				U Silver
				K Black

3.Outer Dimensions

SZP-003□

(Unit:mm)

A top-down view of a circular bracket. It features a central circular opening with a cross-shaped cutout. Surrounding this central opening are four smaller circular holes, one in each quadrant. The entire component is circular with a dashed vertical centerline and a dashed horizontal centerline intersecting at the center.

No.	Name	Material	UL Flammability
1	Circular Bracket	PC	V-2
2	Waterproof Packing	Silicone Rubber	-

Accessory

Pole Waterproof-ring 1pcs.

Binding Head Tapping Screw(M3×12) 2pcs.

A side profile view of the bracket. It shows a flared base with a diameter of Ø60. Above the base is a vertical section with a diameter of Ø29. The total height from the base to the top of this section is 35. The top of this section is flared to match the pole diameter of Ø21.7. A dimension of (6) indicates the thickness of the base. Callout 1 points to the main vertical body, and callout 2 points to the base.

Color : Off-white,Silver,Black

SZP-003-W18D-1 2

PATLITE Corporation

